

C8230/C8235/C8245/C8255/C8270

Now Work Can Get Itself Done

Xerox® AltaLink® Color Multifunction Printers



xerox™
We make work, work.

ConnectKey®
Technology

xerox™

Xerox® AltaLink® C8230/C8235/C8245/C8255/C8270 Color Multifunction Printers

Why harness the power of AI technology in a multifunction printer? Simple. Because busywork isn't your job. Our new AI-supported AltaLink 8200 Series Multifunction Printers are true Workplace Assistants that adapt to you and flex with you, automating tedious tasks so you can focus on what matters most.

BRILLIANTLY CAPABLE, VERSATILE AND AI-ASSISTED

AltaLink's intuitive, tablet-like user interface delivers time-saving ease for each task. Tap into AI-assisted algorithms that learn from you and prioritize your most commonly used tasks to create convenient shortcuts. So you can do more in fewer steps.

With pre-loaded AI-assisted apps*, AltaLink can automate your busy-but-important work, such as redacting sensitive data, summarizing long reports and digitizing handwritten notes so they can be easily edited, shared and acted on.

Wireless should be seamless. AltaLink's native mobility features make it simple to print and scan from your favorite mobile devices. And you can even access your preferred cloud storage service right from the UI. So you can say goodbye to busywork and guesswork.

A SMARTER WAY TO SCALE

No matter how big or small the print job is, AltaLink can be customized to do it. With a variety of accessories and finishing options to choose from, you can configure your Workplace Assistant as needed. And as your business grows, more printers don't mean more problems. AltaLink devices can

automatically keep critical productivity and security settings synced across your fleet. In addition, you can support users and perform interactive training right from your desktop.

SECURITY WITHOUT THE COMPLEXITY

Comprehensive security features work hard to prevent, detect and neutralize threats in addition to streamlining reporting and automatically remediating IT-required settings. Built-in, pre-defined security configurations simplify implementation. Just select one of three security templates and let AltaLink do the rest — no expert knowledge required.

DESIGNED FOR SUSTAINABILITY

With waste-reducing and energy-saving features and the inclusion of post-consumer recycled plastic, AltaLink printers help to reduce environmental impacts. These printers have achieved EPEAT®, ENERGY STAR® and Blue Angel certification.

STAND OUT IN A WORLD OF COLOR

Add clarity and impact to your documents with a high-resolution output of 1200 x 2400 dpi, best-in-class HD toner and superior color rendering and consistency. Take it even further and upgrade with the Xerox® EX-c AltaLink® Server Powered by Fiery®, which provides even more options for polished, eye-catching documents that command attention.



* Fully functional with limited use credits that can be renewed from the Xerox App Gallery

XEROX® CONNECTKEY® TECHNOLOGY



Intuitive User Experience

Enjoy a tablet-like experience with gesture-based touchscreen controls and easy personalization, plus AI-assisted workflow automation.

Mobile and Cloud-ready

Be more mobile with cloud-hosted services and instant connectivity to cloud and mobile devices right from the user interface.

Comprehensive Security

Prevent unauthorized access, detect threats, and protect data and documents with built-in comprehensive security features.

Enables Managed Print Services

Seamless integration with Xerox® Managed Print Services delivers next-level workplace efficiency, employee productivity and security, while helping you meet sustainability goals.

Gateway to New Possibilities

Transform the way you work with the apps in the Xerox® App Gallery. Or choose Xerox® Workflow Central Platform to utilize apps from any device: laptop, desktop or your ConnectKey-enabled printer.

Find out more about how you'll work smarter at [ConnectKey.com](https://www.connectkey.com).

Xerox® AltaLink® C8230/C8235/C8245/C8255/C8270

Color Multifunction Printers



Single-Pass Duplex Automatic Document Feeder (DADF) saves time by simultaneously scanning both sides of a document with up to 270 impressions per minute (ipm).

USER INTERFACE

Intuitive Tablet-like 10.1-inch Color Touchscreen is customizable and lets you perform tasks in just a few taps. Try it out at xerox.com/SIM7.

PAPER INPUT*

Two 520-sheet Adjustable Trays (common with all configurations). Tray 1 handles media sizes up to 11.7 x 17 in./A3 and Tray 2 handles media sizes up to 12 x 18 in./SRA3.

INNOVATIVE TECHNOLOGIES

Xerox® Integrated RFID Card Reader (optional) adds card-based authentication with support for over 90 access cards.

Near Field Communication (NFC) Tap-to-Pair allows users to tap their mobile devices to the AltaLink C8200 Series user panel and quickly connect with the multifunction printer.

Smart Proximity Sensor detects when users are nearby. It conserves energy during inactive periods and automatically activates the device when a user approaches.

Envelope Kit (optional — replaces Tray 1) provides feeding of up to 60 envelopes.

High Capacity Tandem Tray Configuration holds a total paper capacity of up to 3,140 sheets.

Four Tray Module Configuration (available for C8230/C8235) holds a total of up to 2,180 sheets.

Bypass Tray handles up to 100 sheets; Custom sizes: 3.5 x 3.9 in. to 12.6 x 52 in./89 x 98 mm to 320 x 1,320 mm.

High Capacity Feeder (optional) holds 3,000 sheets of letter/A4 paper, increasing the maximum paper capacity to 6,140 sheets.

LONG SHEET PRINTING

Long Sheet Feed Kit (optional) provides the ability to print up to 12.6 x 52 in./320 x 1,320 mm media.



PAPER OUTPUT/FINISHERS*



Office Finisher (optional) provides advanced finishing functions, optional crease/score and saddle-stitch booklet, capable of 60-page booklets (2 to 15 sheets).

Business Ready (BR) Finisher (optional) gives you advanced finishing functions at a great value.

C-Fold/Z-Fold Unit (optional) adds C-fold, Z-fold and Z-half-fold capability to the BR Finisher or BR Booklet Maker Finisher.

BR Booklet Maker Finisher (optional) creates 64-page saddle-stitched booklets (2 to 16 sheets).



Dual Offset Catch Tray (available when no finishers are installed; Single Offset Catch Tray with finishers).



Integrated Office Finisher (optional with C8230/C8235/C8245/C8255) provides 500-sheet stacking and 50-sheet, 2-position stapling.




Convenience Stapler (optional) staples up to 50 sheets of 20 lb./75 gsm media.

* Paper capacities are based on 20 lb./75 gsm stock; capacities will vary with different weight stocks

Xerox® AltaLink® C8230/C8235/C8245/C8255/C8270

Color Multifunction Printers



| DEVICE SPECIFICATIONS | ALTALINK® C8230 | ALTALINK® C8235 | ALTALINK® C8245 | ALTALINK® C8255 | ALTALINK® C8270 |
|--|---|--|---|---|---|
| Speed ¹ (Color/Black-and-White) | Up to 30/30 ppm | Up to 35/35 ppm | Up to 45/45 ppm | Up to 55/55 ppm | Up to 70/70 ppm |
| Monthly Duty Cycle ² | Up to 90,000 pages | Up to 110,000 pages | Up to 200,000 pages | Up to 300,000 pages | Up to 300,000 pages |
| Hard Drive/Processor/Memory | 256 GB NVMe SSD; Optional: 1 TB NVMe SSD/INTEL ATOM® Quad Core, 1.9GHz/4 GB system memory (8 GB system memory AltaLink® C8270) | | | | |
| Connectivity | 10/100/1000Base-T Ethernet, High-Speed USB 2.0 direct print, NFC; Optional: WiFi/WiFi Direct with Xerox® Dual Band WiFi® and Bluetooth® Kit (for iBeacon™) | | | | |
| Optional Controller | Xerox® EX-c AltaLink® Print Server Powered by Fiery® | | | | |
| Copy and Print | Copy Resolution: Up to 600 x 600 dpi; Print Resolution: Up to 1200 x 2400 dpi | | | | |
| First-Copy-Out Time (as fast as) (from platen/warmed-up state) | 6.0 seconds color/4.2 seconds black-and-white | | 5.5 seconds color/3.9 seconds black-and-white | 4.6 seconds color/3.6 seconds black-and-white | 4.0 seconds color/2.8 seconds black-and-white |
| First-Print-Out Time (as fast as) | 5.7 seconds color/4.2 seconds black-and-white | | 4.9 seconds color/3.6 seconds black-and-white | 4.5 seconds color/3.2 seconds black-and-white | 3.7 seconds color/2.8 seconds black-and-white |
| Page Description Languages | Adobe® PostScript® 3™, Adobe® PDF, PCL® 5c/PCL® 6 | | | | |
| Paper Input³ | Standard | Single-Pass Duplex Automatic Document Feeder (DADF): Up to 82 ppm simplex/161 ipm duplex (200 dpi), 130-sheet capacity for AltaLink® C8230/C8235/C8245/C8255. Paper sizes: 3.4 x 4.9 in. to 11.7 x 17 in./85 x 125 mm to 297 x 432 mm. Up to 135 ppm simplex/270 ipm duplex (200 dpi), 250-sheet capacity for AltaLink® C8270. Paper sizes: 3.4 x 4.9 in. to 11.7 x 17 in./85 x 125 mm to 297 x 432 mm Bypass Tray: 100 sheets; Custom sizes: 3.5 x 3.9 in. to 12.6 x 52 in./89 x 98 mm to 320 x 1,320 mm (SEF); Tray 1: 520 sheets; Custom sizes: 5.5 x 7.2 in. to 11.7 x 17 in./140 x 182 mm to 297 x 432 mm (SEF); Tray 2: 520 sheets; Custom sizes: 5.5 x 7.2 in. to 12 x 18 in./140 x 182 mm to SRA3 (SEF) | | | |
| | Choose One | Four Tray Module: (Trays 3 and 4 — available with AltaLink C8230/C8235); 1,040 sheets; 520 sheets each; Custom sizes: 5.5 x 7.2 in. to 12 x 18 in./140 x 182 mm to SRA3 (SEF). Total standard paper capacity: 2,180 sheets; High Capacity Tandem Tray Module: 2,000 sheets; Sizes: 8.5 x 11 in./A4. Total standard paper capacity: 3,140 sheets | | | |
| | Optional | High Capacity Feeder (HCF): Up to 3,000 sheets; Size 8.5 x 11 in./A4 long edge feed. Max paper capacity with HCF: 6,140 sheets; Envelope Tray (replaces Tray 1): Up to 60 envelopes with Auto Size detection of some sizes; Long Sheet Feed Kit (banner printing): 12.6 x 52 in./320 x 1,320 mm; Multi-feed Detection Kit (available for AltaLink® C8270 only) | | | |
| Paper Output/Finishing³ | Standard | Dual Offset Catch Tray (standard when finishers are not attached): 250 sheets each; Face-up Tray: 100 sheets | | | |
| | Optional | Integrated Office Finisher: Available with AltaLink C8230/C8235/C8245/C8255, staple positions: front and rear straight. 500 sheets stacker, 50 sheets stapling, 2-position stapling Office Finisher: 2,000-sheet stacker, 50 sheets stapled, 2-position stapling, optional hole punch, optional booklet maker (score, saddle stitch 2 to 15 sheets (60 pages)) BR Finisher: 3,000-sheet stacker and 500-sheet top tray, 50-sheet multiposition stapling and 2/3-hole punching BR Booklet Maker Finisher: 1,500-sheet stacker and 500-sheet top tray, 50-sheet multiposition stapling and 2/3-hole punching plus saddle-stitch booklet making (2 to 16 sheets, 64 pages) and V-folding C-Fold/Z-Fold Unit: Adds Z-folding, Letter Z-folding and Letter C-folding to the BR Finisher and BR Booklet Maker Finisher Convenience Stapler: 50-sheet stapling, includes Work Surface ⁴ | | | |
| INTUITIVE USER EXPERIENCE | | | | | |
| Customize | Customize user interface, show/hide functions, personalize user experience with authentication, create 1-Touch Apps, auto wake-up with Smart Proximity Sensor, Enable AI-Assisted Adaptive Learning to set up shortcuts for repetitive and complex jobs. Copy, scan, or email without touching the user screen using the automatic touchless workflow accelerators | | | | |
| Print Drivers | Job Identification, Bi-directional Status, Job Monitoring, Xerox® Global Print Driver®, Application Defaults, Xerox® Pull Print Driver, Microsoft Universal Print/IPP with Print Support Identification (Secure Print and Secure Release) | | | | |
| Xerox® Embedded Web Server | PC or Mobile — Status Information, Settings, Device Management, Cloning, Fleet Orchestrator, Configuration Watchdog, Remote Control Panel, Security Templates, Web Content Accessibility Guidelines (WCAG) compliant | | | | |
| Print Features | Print from USB, Print from Cloud Repositories (Dropbox, OneDrive, and Google Drive), Sample Set, Saved Job, Booklet Creation, Store and Recall Driver Settings, Scaling, Job Monitoring, Application Control, Two-sided Printing, Draft Mode, Long Sheet (Banner) Printing, Mopria® Print, Apple AirPrint™, Xerox® Print Service (Android), @PrintByXerox, Imaging Security; Optional: Xerox® Workplace Mobile App (iOS/Android) | | | | |
| Scan and Fax | Scan Preview, Scan to USB/PC via USB port/Email/Network (FTP/SFTP/SMB), Scan to Print, Scan File Formats: PDF, PDF/A, JPG, TIFF; Convenience Features: Scan to Home, Searchable PDF, Single/Multi-page PDF/TIFF, Password-protected PDF, TWAIN driver (scan), Imaging Security; Fax Features: Walk-up Fax (one-line or two-line options available, includes LAN Fax, Direct Fax, Fax Forward to Email), Fax dialing, Unified Address Book, Optical Character Recognition (OCR), Server Fax, Mopria® Scan, Apple AirPrint™, Optional: Xerox® Workplace Mobile App (iOS/Android); Scan To Cloud Repositories (Dropbox, OneDrive, and Google Drive) | | | | |
| MOBILE AND CLOUD-READY | | | | | |
| Mobile Connectivity | Near Field Communication (NFC); Optional: Dual Band WiFi and Bluetooth Kit (for iBeacon) | | | | |
| Mobile Printing | Mopria® Print, Apple AirPrint™, Xerox® Print Service (Android), @PrintByXerox; Optional: Xerox® Workplace Mobile App (iOS/Android) | | | | |
| Mobile Scanning | Mopria® Scan, Apple AirPrint™; Optional: Xerox® Workplace Mobile App (iOS/Android) | | | | |
| Cloud-ready | Remote services enabled, native "Print from" Cloud repositories (Dropbox, OneDrive, Google Drive), integration with Okta, Ping Identity, Microsoft Azure; Optional: Native "Scan to" cloud repositories (Dropbox, OneDrive, Google Drive), direct connection to cloud-hosted services via optional apps (accessed via Xerox App Gallery app or visit xerox.com/AppGallery), Xerox WorkFlow Central Platform | | | | |
| COMPREHENSIVE SECURITY | | | | | |
| Network Security | 802.1x, IPsec, HTTPS, SFTP and Encrypted Email, Trellix ePolicy Orchestrator®, Trellix Enterprise Security Manager®, LogRhythm SIEM, Splunk SIEM, Network Authentication, SNMPv3, SHA-256 Hash Message Authentication, TLS 1.1/1.2/1.3, Security Certificates utilizing ECDSA, Automatic Self-signed Certificate, Cisco® Identity Services Engine (ISE) integration, automated threat response through Trellix DXL/Cisco pxGrid integration, Local Authentication (Internal Database), FIPS 140-3 | | | | |
| Device Access | User Access and Internal Firewall, Serverless Card Authentication, Port/IP/Domain Filtering, Audit Log, Access Controls, User Permissions, Configuration Watchdog, TPM 2.0, Log-in with Okta, Ping Identity, and Microsoft Azure credentials, WPA2™ and WPA3™ with Dual Band WiFi and Bluetooth Kit; Optional: Smart Card Enablement Kit (CAC/PIV/.NET/SIPRNet)®, Xerox® Integrated RFID Card Reader, NFC standard (authentication via optional Xerox® Workplace Cloud/Suite Print Management and Content Security; learn more at xerox.com/WorkplaceSolutions) | | | | |
| Device Security | Trellix Allowlisting®, Firmware Verification, Security Dashboard, Security Templates, Trusted Boot; Optional: Trellix Integrity Control® | | | | |
| Data and Document Security | Common Criteria Certification full system against CPP HCD V1.0E will be made available in a future firmware release, Encrypted Secure Print, FIPS 140-3 Encrypted Data with Print Drivers, Imaging Security with AltaLink's proprietary marking and infrared detection technology, Job Level Encryption via HTTPS and Drivers, Encrypted NVMe SSD (AES 256-bit), Job Data Removal, Encrypted and Signed Email, Microsoft Universal Print with Secure Print and Secure Release; Optional: Xerox® Workplace Cloud/Suite Content Security, Encrypted 1 TB NVMe SSD (AES 256-bit) | | | | |
| ENABLES MANAGED PRINT SERVICES | | | | | |
| Print Management | Xerox® Standard Accounting; Optional: Xerox® Workplace Suite/Cloud, Xerox® Virtual Print Management Service, more at xerox.com/PrintManagement | | | | |
| Fleet/Device Management | Xerox® CentreWare® Web Software, Xerox® Support Assistant, Automated Meter Read, Fleet Orchestrator, Configuration Cloning, Xerox® Easy Assist App ; Optional: Managed Print Services Suite, cloud-based remote management with Xerox® Cloud Fleet Management Solution | | | | |
| Insights | Xerox® MPS Advanced Analytics, Predictive AI | | | | |
| Security | Secure Device Management: Xerox® Printer Security Audit Service (auto-configuration of security settings, monitoring and auto-remediation), Certificate Management, SIEM Reporting, Interactive Dashboard Reports, Device Security Center, Workplace App Management | | | | |
| GATEWAY TO NEW POSSIBILITIES | | | | | |
| Xerox and Partner Apps | AI apps for limited use included in your AltaLink 8200 Series: Xerox® Auto-Redaction App, Xerox® Note Converter App, Xerox® Summarizer App. Gain access to numerous productivity enhancing apps that connect you directly to key business systems and services of document centric tasks. Visit xerox.com/WorkplaceApps to find out more. | | | | |
| Software Solutions | Learn more about Xerox software solutions at xerox.com/en-us/smarter-workflow-management-software | | | | |

¹ Declared in accordance with ISO/IEC 24734

² Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis

³ Paper capacities are based on 20 lb./75 gsm stock; capacities will vary with different weight stocks

⁴ Sold separately in some geographies

⁵ Not available in all geographies

* Trellix formerly known as McAfee

Certifications: xerox.com/OfficeCertifications

Learn more at xerox.com/AltaLink and see how we make work, work.

© 2024 Xerox Corporation. All rights reserved. Xerox®, AltaLink®, CentreWare®, ConnectKey® and Global Print Driver® are trademarks of Xerox Corporation in the United States and/or other countries. XMPie® is a trademark of XMPie, Inc. Mopria® is a trademark of the Mopria® Alliance. The information in this brochure is subject to change without notice. 11/24 TSK-5266 BR40438 EMC24040 AC8BR-06UB

